Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2721	(organiz\$3 crieteri\$3 select\$4) near9 (e-mail email document\$3) near9 set\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:53
S2	· 14	((organiz\$3 crieteri\$3 select\$4) near9 (e-mail email document\$3) near9 set\$3) and (user\$1 near9 format near5 rul\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 14:54
S3	14	((organiz\$3 crieteri\$3 select\$4) near9 (e-mail email document\$3) near9 set\$3) and (user\$1 near9 format\$3 near5 rul\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 15:00
S4	1580	select\$4 near5 document\$3 near5 (rule\$3 set\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 15:01
.S5	647	(select\$4 near5 document\$3 near5 (rule\$3 set\$3)) and (criteria\$4 organiz\$4 cluster\$4 classif\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 15:02
S6	144	(select\$4 near5 document\$3 near5 (rule\$3 set\$3)) same (criteria\$4 organiz\$4 cluster\$4 classif\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 15:02
S7	96	((select\$4 near5 document\$3 near5 (rule\$3 set\$3)) same (criteria\$4 organiz\$4 cluster\$4 classif\$5)) and (user\$4 near7 select\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 15:02
S8	0	((select\$4 near5 document\$3 near5 (rule\$3 set\$3)) same (criteria\$4 organiz\$4 cluster\$4 classif\$5)) and (user\$4 near7 select\$4 near7 dcoument\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 15:03
59	79	((select\$4 near5 document\$3 near5 (rule\$3 set\$3)) same (criteria\$4 organiz\$4 cluster\$4 classif\$5)) and (user\$4 near7 select\$4 near7 document\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 15:03

S10	5	(((select\$4 near5 document\$3 near5 (rule\$3 set\$3)) same (criteria\$4 organiz\$4 cluster\$4 classif\$5)) and (user\$4 near7 select\$4 near7 document\$4)) and (organiz\$4 cluster\$4 classif\$5) near6 rule\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 15:04
S11	14	(((select\$4 near5 document\$3 near5 (rule\$3 set\$3)) same (criteria\$4 organiz\$4 cluster\$4 classif\$5)) and (user\$4 near7 select\$4 near7 document\$4)) and (organiz\$4 cluster\$4 classif\$5:) same rule\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 15:05
S12	13	((organiz\$3 crieteri\$3 select\$4) near9 (e-mail email document\$3) near9 set\$3) and (criteria\$4 near5 (organiz\$4 cluster\$3 classif\$4) near5 (document\$3 e-mail email))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 14:40
S13	2	"6604114".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 15:21
S14	1	"6604114".pn. and (user\$3 same select\$4 same set\$4 rule\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 15:24
S15	1	"6604114".pn. and (user\$3 same select\$4 same (set\$4 rule\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 15:24
S16	0	"6604114".pn. and (criteri\$4 same organiz\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 15:25
S17	1	"6604114".pn. and (criteri\$4 and organiz\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 15:25
S18	1	("6604114".pn. and (user\$3 same select\$4 same (set\$4 rule\$3))) or ("6604114".pn. and (criteri\$4 and organiz\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 15:27

S19	1	(("6604114".pn. and (user\$3 same select\$4 same (set\$4 rule\$3))) or ("6604114".pn. and (criteri\$4 and organiz\$4))) and rule\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 15:28
S20	1	(("6604114" pn. and (user\$3 same select\$4 same (set\$4 rule\$3))) or ("6604114" pn. and (criteri\$4 and organiz\$4))) and rule\$3 and format\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 16:10
S21	2	"5802253".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 16:11
S22	2	"5530861".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 16:16
S23	1889	organiz\$3 near5 (email e-mail document\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 16:17
S24	33798	e-mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 16:17
S25	14712	email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	ON	2003/12/04 16:17
S26	588	(organiz\$3 near5 (email e-mail document\$3)) and (select\$3 near5 (set\$4 rule\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 16:19
S27	143	(organiz\$3 near5 (email e-mail document\$3)) and (select\$3 near5 (email e-mail document\$4) near5 (set\$4 rule\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 16:19
S28	0	((organiz\$3 near5 (email e-mail document\$3)) and (select\$3 near5 (email e-mail document\$4) near5 (set\$4 rule\$1))) and ((docuement e-mail email) near5 organiz\$4 near5 criteria\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 16:20

S29	7	((organiz\$3 near5 (email e-mail document\$3)) and (select\$3 near5 (email e-mail document\$4) near5 (set\$4 rule\$1))) and ((document e-mail email) near5 organiz\$4 near5 criteria\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/04 16:20
S30	28	format\$4 near5 rule\$3 near9 criteria\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 10:07
S31	55035	select\$3 near5 word\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 16:19
S32	36	(select\$3 near5 word\$3) same (criteria\$3 near5 (document\$3 e-mail email))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 16:24
S33	288	((e-mail email) near5 organiz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 16:25
S34	515	((e-mail email) near5 (organiz\$3 classif\$5 cluster\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 16:32
S35	49	(((e-mail email) near5 (organiz\$3 classif\$5 cluster\$3))) and (user\$3 near5 select\$3 near5 set\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 16:27
S36	35	((((e-mail email) near5 (organiz\$3 classif\$5 cluster\$3))) and (user\$3 near5 select\$3 near5 set\$4)) and (criteria)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 16:27
S37	34	(((e-mail email) near5 (organiz\$3 classif\$5 cluster\$3))) and (user\$3 near5 select near5 set\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2003/12/11 16:32
S38	43402	email e-mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 09:29

S39	0	(email e-mail) near5 ((organiz\$5 cluster\$4 classif\$5) near5 critri\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 09:30
S40	1	(email e-mail) near5 ((organiz\$5 cluster\$4 classif\$5) near5 criteri\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 09:31
S41	11	(email e-mail) near5 ((organiz\$5 cluster\$4 classif\$5) same criteri\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 09:33
S42	108	document\$4 near5 ((organiz\$5 cluster\$4 classif\$5) same criteri\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 09:33
S43	82	document\$4 near5 ((organiz\$5 cluster\$4 classif\$5) near10 criteri\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 09:34
S44	32	(document\$4 near5 ((organiz\$5 cluster\$4 classif\$5) near10 criteri\$4)) and (select\$4 near5 (word\$3 phrase\$3 character\$3 text\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 09:36
S45	1	"6662178".pn. and (user\$4 near5 select\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 10:33
S46	1	"6662178".pn. and (organiz\$3 same:criteri\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/15 12:35
S47	2538	((keyword\$3 word\$3 text\$4 phras\$3) near5 select\$4) same (document\$4 email e-mail) same user\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 10:05
S48	68	(((keyword\$3 word\$3 text\$4 phras\$3) near5 select\$4) same (document\$4 email e-mail) same user\$3) and (user\$3 same criteri\$4 same (cluster\$3 organize\$4 classfif\$\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/12 10:07

S49	1	"6662178".pn. and (organiz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2003/12/12 10:32
S50	2	"6098066".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2003/12/15 12:35
S51	2	"20030069892"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 11:19
S52	14	((organiz\$3 crieteri\$3 select\$4) near8 (e-mail email document\$3) near9 set\$3) and (criteria\$4 near5 (organiz\$4 cluster\$3 classif\$4) near5 (document\$3 e-mail email))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 14:48
S53	0	(special color\$4 flag\$4) near5 (email e-mail) near5 drag\$4 near5 folder\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 14:50
S54	0	(special color\$4 flag\$4) near9 (email e-mail) near9 drag\$4 near9 folder\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 14:50
S55	1459	(special color\$4 flag\$4) near9 (email e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 14:50
S56	94	((special color\$4 flag\$4) near9 (email e-mail) ) and (drag\$4 mov\$4) near9 (folder\$4 box\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 14:51
S57	83	((special color\$4 flag\$4) near9 (email e-mail) ) and (drag\$4 mov\$4) near5 (folder\$4 box\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 14:54
S58	6	((special color\$4 flag\$4) near9 (email e-mail) ) same (drag\$4 mov\$4) near5 (folder\$4 box\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 14:52

S59	55	((special color\$4 flag\$4) near9 (email e-mail) ) and (email e-mail messag\$4) near5 (drag\$4 mov\$4) near5 (folder\$4 box\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 15:04
S60	2	"6161130".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 15:08
S61	1	"6161130".pn. and (user\$4 same select\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 15:08
S62	0	"6161130".pn. and (user\$4 same select\$4 same email)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 15:08
S63	1	"6161130".pn. and (user\$4 same select\$4 same e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/12 15:08
S64	6	GUI same ((email e-mail) near5 (criteria\$4 categor\$4 classif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 10:42
S65	82	GUI same ((document\$4 text\$3) near5 (criteria\$4 categor\$4 classif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 10:43
S66	86	(GUI same ((email e-mail) near5 (criteria\$4 categor\$4 classif\$5))) or (GUI same ((document\$4 text\$3) near5 (criteria\$4 categor\$4 classif\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 10:55
S67	3	(design\$4 generat\$4 creat\$4) near5 (menu\$4 gui ) near5 (email e-mail document\$3 text\$4) near5 (categor\$4 classif\$4 criteria\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 10:59
S68	128	(menu\$4 gui ) near5 (email e-mail document\$3 text\$4) near5 (categor\$4 classif\$4 criteria\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 16:14

S69	2	"6161113".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 11:21
<b>570</b>	0	"6161113".pn. and (organiz\$5 same:criteria)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26:11:22
S71		"6161113".pn. and (sett\$5 same criteria)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 11:22
S72	1	"6161113".pn. and (set\$5 same criteria)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 11:22
S73	2	"6161113".pn. and (select\$5 same criteria)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 11:22
S74	1	("6161113":pn. and (set\$5 same criteria)) and ("6161113":pn. and (select\$5 same criteria))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 11:22
S75	1	(("6161113".pn. and (set\$5 same criteria)) and ("6161113".pn. and (select\$5 same criteria))) and ((menu\$4 gui ) near5 (email e-mail document\$3 text\$4) near5 (categor\$4 classif\$4 criteria\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2004/10/26 11:23
S76	10305	(email e-mail document\$3 text\$4) near5 (categor\$4 classif\$4 criteria\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 16:14
S77	88	( (email e-mail document\$3 text\$4) near5 (categor\$4 classif\$4 criteria\$4)) same (gui)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 16:15
S78	52	(( (email e-mail document\$3 text\$4) near5 (categor\$4 classif\$4 criteria\$4)) same (gui)) and (menu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 16:15

S79	14230	(document\$4 electronic\$4) NEAR5 (categor\$4 classif\$4 cluster\$4 organiz\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/24 19:13
S80	591	:579 and (defin\$4 near5 criteria)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/24:19:14
S81	37	S79 same (defin\$4 near5 criteria)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/24 19:15
S82	2466	S79 same (stor\$4 sav\$4) near5 (document\$4 electronic\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/24 19:15
S83	23	S81 and (stor\$4 sav\$4) near5 (document\$4 electronic\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/24 19:15
584	3856	(organiz\$3 crieteri\$3 select\$4 cluster\$3) near9 (e-mail email document\$3) near9 set\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 14:40
S85	38608	(organiz\$3 crieteri\$3 select\$4 cluster\$3) near9 (e-mail email document\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 14:44
S86	8556	user\$4 near5 (select\$4 detect\$4) near5 (e-mail email document\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 14:44
S87	8196	S85 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 14:45
S88	64	S87 and (stor\$4 sav\$4) near5 criteria\$3 near5 (object\$4 email e-mail document\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 14:47

S89	165125	object\$4 near5 (represent\$4 present\$4 display\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/22 10:15
S90	129	object\$3 near5 presentation\$3 near5 (criteria\$3 group\$4 classification\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:56
S91	155	swip\$4 near5 (element\$4 object\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:55
S92	0	S90 and S91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:55
S93	10	swip\$4 near5 (icon\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:55
S94	0	S90 and S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/07/26 15:55
S95	771596	(swip\$4 select\$4 chos\$3) near5 (element\$4 object\$4 select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:56
S96	777526	(swip\$4 select\$4 chos\$3) near5 (element\$4 object\$4 select\$3 icon\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:56
S97	225	(object\$3 element\$4 icon\$3) near5 presentation\$3 near5 (criteria\$3 group\$4 classification\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:57
S98	146	S96 and S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:57

S99	4896	(object\$3 element\$4 icon\$3) near5 (presentation\$3 display\$4) near5 (criteria\$3 group\$4 classification\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:57
S10 0	2904	S96 and S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26:15:58
S10 1	747	S100 and user\$3 near5 (select\$4 swip\$3) near5 (element\$4 object\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:59
S10 2	671	S101 and (object\$4 element\$4) near5 (criteria\$4 group\$3 classifi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:00
S10 3	115	S102 and (stor\$3 sav\$3) near5 (object\$4 element\$4) near5 (criteria\$4 group\$3 classifi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:17